

`Applicant: Dennis Meryem Einzelunternehmer

Address: Seifartshofstraße 24,96450 Coburg Germany

The following sample(s) information and test item(s) were submitted and identified by/on behalf of the applicant

Sample Name: PU FOAM DICE

Labeled Age Group:

Tested Age Grading:

Applicant's Specified Testing Age Group:

3+

Sample Receiving Date: Feb. 15, 2022

**Testing Period:** Feb. 15, 2022 to Feb. 18, 2022

### Summary of Test Result(s):

| No. | Test Sample   | Test Requested  | Result(s) |
|-----|---|---|-----------|
| 1   | Submitted samples   | bmitted samples EN 71 Part 1:2014+A1:2018,European Standard for "Safety of toys" - Physical and Mechanical Properties |           |
| 2   | Submitted samples  EN 71 Part 2:2020, European Standard for "Safety of toy - Flammability |   | PASS      |
| 3   | Tested materials of submitted samples   | European Directive 2009/48/EC and its subsequent amendments and EN 71-3:2019+A1:2021 - Migration of certain elements  | PASS      |

\*\*\*\*\*\*\*\*\*\*\*\*\*\*FOR FURTHER DETAILS,PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*\*\*\*\*

Signed for and on behalf of LST

Rory / Technical Manager

Signed for and on behalf of LST

Davy / Lab supervisor

Zhejiang Lisen Testing Technology Co.

Address:5 Floor,Building 13,Yiwu Science&Technology lark, No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com The test results are only applicable to the samples received. Except for full-text production, partially reproduced or without the special seal of LST is unlawful. The stream of the second seal of LST is unlawful. The stream of the second seal of LST is unlawful. The stream of the second seal of LST is unlawful. The stream of LST is unlawful. The second seal of LST is unlawful. The secon



### **Sample Description**

| Material No. | <b>Component Description</b>        | Location      |  |
|--------------|-------------------------------------|---------------|--|
| 01           | White foam with multicolor printing | Dice body     |  |
| 02           | Dice                                | Dice entirety |  |

### Photo of sample





### Test Result(s):

EN 71 Part 1:2014+A1:2018 - Mechanical and Physical Test

| Section  | Testing Items  | Assessment<br>02 |  |
|----------|--|------------------|--|
| Occion . | resumy items   |                  |  |
| 4        | General requirements   |                  |  |
| 4.1      | Material cleanliness   | PASS             |  |
| 4.2      | Assembly   | NA               |  |
| 4.3      | Flexible plastic sheeting  | NA               |  |
| 4.4      | Toy bags   | NA               |  |
| 4.5      | Glass  | NA               |  |
| 4.6      | Expanding materials  | NA               |  |
| 4.7      | Edges  | PASS             |  |
| 4.8      | Points and metallic wires  | PASS             |  |
| 4.9      | Protruding parts   | NA               |  |
| 4.10     | Parts moving against each other                                      | NA               |  |
| 4.11     | Mouth-actuated toys and other toys intended to be put in the mouth   | NA               |  |
| 4.12     | Balloons   | NA               |  |
| 4.13     | Cords of toy kites and other flying toys                             | NA               |  |
| 4.14     | Enclosures   | NA               |  |
| 4.15     | Toys intended to bear the mass of a child                            | NA               |  |
| 4.16     | Heavy immobile toys  | NA               |  |
| 4.17     | Projectiles  | NA               |  |
| 4.18     | Aquatic toys and inflatable toys                                     | NA               |  |
| 4.19     | Percussion caps specifically designed for use in toys and toys using |                  |  |
| 4.20     | Acoustics  | NA               |  |
| 4.21     | Toys containing a non-electrical heat source                         | NA               |  |
| 4.22     | Small balls  | NA               |  |
| 4.23     | Magnets  | NA               |  |
| 4.24     | Yo-yo balls  | NA               |  |
| 4.25     | Toys attached to food  | NA               |  |
| 4.26     | Toy Disguise Coustumes   | NA               |  |
| 4.27     | Flying toys  | NA               |  |
| 5        | Toys intended for children under 36 months                           |                  |  |

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China



| 5.1  | General requirements:   | NA   |  |  |  |
|------|---|------|--|--|--|
| 5.2  | Soft-filled toys and soft-filled parts of toy                                   | NA   |  |  |  |
| 5.3  | Plastic sheeting  | NA   |  |  |  |
| 5.4  | Cords, chains and electrical cables in toys                                     | NA   |  |  |  |
| 5.5  | Liquid-filled toys  | NA   |  |  |  |
| 5.6  | Speed limitation of electrically-driven ride-on toys                            | NA   |  |  |  |
| 5.7  | Glass and porcelain   | NA   |  |  |  |
| 5.8  | Shape and size of certain toys  | NA   |  |  |  |
| 5.9  | Toys comprising monofilament fibers   | NA   |  |  |  |
| 5.10 | Small balls   | NA   |  |  |  |
| 5.11 | Play figures  | NA   |  |  |  |
| 5.12 | Hemispheric-shaped toys   | NA   |  |  |  |
| 5.13 | Suction cups  | NA   |  |  |  |
| 5.14 | Straps intended to be worn fully or partially around the neck                   | NA   |  |  |  |
| 6    | Packaging   | NA   |  |  |  |
| 7    | Warnings, markings and instructions for use                                     |      |  |  |  |
| 7.1  | General   | PASS |  |  |  |
| 7.2  | Toys not intended for children under 36 months                                  | PASS |  |  |  |
| 7.3  | Latex balloons  | NA   |  |  |  |
| 7.4  | Aquatic toys  | NA   |  |  |  |
| 7.5  | Functional toys   | NA   |  |  |  |
| 7.6  | Hazardous sharp functional edges and points                                     | NA   |  |  |  |
| 7.7  | Projectiles   | NA   |  |  |  |
| 7.8  | Imitation protective masks and helmets  | NA   |  |  |  |
| 7.9  | Toy kites   | NA   |  |  |  |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys        | NA   |  |  |  |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator | NA   |  |  |  |
| 7.12 | Liquids-filled teethers   | NA   |  |  |  |
| 7.13 | Percussion caps specifically designed for use in toys                           | NA   |  |  |  |
| 7.14 | Acoustics   | NA   |  |  |  |
| 7.15 | Toy bicycles  | NA   |  |  |  |

Zhejiang Lisen Testing Technology Co., Ltd.

Address:5 Floor,Building 13,Yiwu Science&Technology Park, No.968 Xuefeng West Road,Yiwu,Zhejiang,China

Tel: 86-579-85573858 E-mail: zj@lisenlab.com URL: http://www.lisenlab.com The test results are only applicable to the samples received. Except for full-text reproduction, partially reproduced or without the special seal of LST is unlawful. Test items/methods of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data, only for the client's research, teaching or internal quality control, etc. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.



| 7.16 | Toys intended to bear the mass of a child   | NA |
|------|---|----|
| 7.17 | Toys comprising monofilament fibres   | NA |
| 7.18 | Toy scooters  | NA |
| 7.19 | Rocking horses and similar toys   | NA |
| 7.20 | Magnetic/electrical experimental sets   | NA |
| 7.21 | Toys with electrical cables exceeding 300mm in length                                     | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator                             | NA |
| 7.24 | Sledges with cords for pulling  | NA |
| 7.25 | Flying toys   | NA |
| 7.26 | Improvised projectiles  | NA |

Note:

- 1. NA = Not Applicable
- 2. NR = Not Requested
- 3. "\*" = Per client's requirement, the packaging was not evaluated.

#### EN 71 Part 2:2020 - Flammability

| 0       | Testing House   | Assessment |  |
|---------|---|------------|--|
| Section | Testing Items   | 02         |  |
| 4.1     | General requirements  | PASS       |  |
| 4.2     | Toys to be worn on the head   | NA         |  |
| 4.3     | Toy disguise costumes and toys intended to be worn by a child in play | NA         |  |
| 4.4     | Toys intended to be entered by a child                                | NA         |  |
| 4.5     | Soft-filled toys  | NA         |  |

**Note:** NA = Not Applicable.



EN 71-3:2019+A1:2021 - Migration of Certain Elements

<u>Method:</u> General elements,with reference to EN 71-3:2019+A1:2021, analyzed by Inductively coupled plasma

emission spectrometer (ICP-OES).

| mission spectrometer (ICP-OES) .                  | Result (mg/kg) |  |  |
|---|----------------|--|--|
| Test Item(s)                                      |                |  |  |
| Category Type                                     | III            |  |  |
| Extractable Lead (Pb)                             | N.D.           |  |  |
| Extractable Antimony (Sb)                         | N.D.           |  |  |
| Extractable Arsenic (As)                          | N.D.           |  |  |
| Extractable Barium (Ba)                           | N.D.           |  |  |
| Extractable Cadmium (Cd)                          | N.D.           |  |  |
| Extractable Mercury (Hg)                          | N.D.           |  |  |
| Extractable Selenium (Se)                         | N.D.           |  |  |
| Extractable Boron (B)                             | N.D.           |  |  |
| Extractable Cobalt (Co)                           | N.D.           |  |  |
| Extractable Manganese (Mn)                        | N.D.           |  |  |
| Extractable Strontium (Sr)                        | N.D.           |  |  |
| Extractable Zinc (Zn)                             | N.D.           |  |  |
| Extractable Copper (Cu)                           | N.D.           |  |  |
| Extractable Aluminium (Al)                        | N.D.           |  |  |
| Extractable Nickel (Ni)                           | N.D.           |  |  |
| Extractable Tin (Sn) <sup>1#</sup>                | N.D.           |  |  |
| Extractable Organic Tin <sup>1#</sup>             | N.D.           |  |  |
| Extractable Chromium <sup>2#</sup>                | Z. \ . \ \     |  |  |
| Extractable Chromium (III) (Cr III) <sup>3#</sup> | N.D.           |  |  |
| Extractable Chromium (VI) (Cr VI)                 | N.D.           |  |  |
| Conclusion(s)                                     | PASS           |  |  |

Note:

- 1. mg/kg = milligram per kilogram
- 2. MDL = Method Detection Limit
- 3. N.D. = Not Detected, less than MDL
- 4. 1# Result of Organic Tin is calculated by assuming the extractable Tin content is wholly contributed from tributyltin (TBT) cation unless further specified. If migration of total tin were not detected, Extractable Organic Tin were considered not detected; Otherwise, Extractable Organic Tin were verified by below method: EN 71-3:2019+A1:2021 Annex G, analyzed by

Zhejiang Lisen Testing Technology Co., Ltd.
Address:5 Floor,Building 13,Yiwu Science&Technology Park,
No.968 Xuefeng West Road,Yiwu,Zhejiang,China



GC-MS.

- 2# If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI). Otherwise, Extractable Chromium (VI) were verified by below method: EN 71-3:2019+A1:2021 Annex F, analyzed by IC-ICP-MS.
- 6. 3# In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

Limited Value for migration of certain elements:

European Directive 2009/48/EC and its subsequent amendments and EN 71-3:2019+A1:2021

|                                     | Limited Value(mg/kg) |       |             |       |              |        |
|-------------------------------------|----------------------|-------|-------------|-------|--------------|--------|
| Test Item(s)                        | Category I           |       | Category II |       | Category III |        |
|                                     | MDL                  | Limit | MDL         | Limit | MDL          | Limit  |
| Extractable Lead (Pb)               | 1.0                  | 2.0   | 0.2         | 0.5   | 5            | 23     |
| Extractable Antimony (Sb)           | 5                    | 45    | 1           | 11.3  | 5            | 560    |
| Extractable Arsenic (As)            | 0.2                  | 3.8   | 0.1         | 0.9   | 5            | 47     |
| Extractable Barium (Ba)             | 50                   | 1500  | 10          | 375   | 50           | 18750  |
| Extractable Cadmium (Cd)            | 0.1                  | 1.3   | 0.05        | 0.3   | 1            | 17     |
| Extractable Mercury (Hg)            | 0.5                  | 7.5   | 0.2         | 1.9   | 5            | 94     |
| Extractable Selenium (Se)           | 2                    | 37.5  | 1           | 9.4   | 5            | 460    |
| Extractable Boron (B)               | 50                   | 1200  | 10          | 300   | 50           | 15000  |
| Extractable Cobalt (Co)             | 1                    | 10.5  | 0.2         | 2.6   | 5            | 130    |
| Extractable Manganese (Mn)          | 50                   | 1200  | 10          | 300   | 50           | 15000  |
| Extractable Strontium (Sr)          | 50                   | 4500  | 50          | 1125  | 50           | 56000  |
| Extractable Zinc (Zn)               | 50                   | 3750  | 50          | 938   | 50           | 46000  |
| Extractable Copper (Cu)             | 10                   | 622.5 | 10          | 156   | 50           | 7700   |
| Extractable Aluminum (Al)           | 50                   | 2250  | 50          | 560   | 50           | 28130  |
| Extractable Nickel (Ni)             | 5                    | 75    | 2           | 18.8  | 5            | 930    |
| Extractable Tin (Sn)                | 0.2                  | 15000 | 0.2         | 3750  | 2            | 180000 |
| Extractable Organic Tin             | 0.2                  | 0.9   | 0.2         | 0.2   | 2            | 12     |
| Extractable Chromium                | 0.02                 | -     | 0.005       |       | 0.05         | -      |
| Extractable Chromium (III) (Cr III) | 2                    | 37.5  | 1           | 9.4   | 10           | 460    |
| Extractable Chromium (VI) (Cr VI)   | 0.02                 | 0.02  | 0.005       | 0.005 | 0.05         | 0.053  |



**Note:** Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material Category III: scraped-off toy material

"-" = Not Regulated

\*\*\*End of Report\*\*\*